

VACCINE UPDATES

Recipient Age	Product**	Persons Who ARE NOT Moderately or Severely Immunocompromised		Persons Who ARE Moderately or Severely Immunocompromised	
		Primary Series†§	Booster Dose†¶	Primary Series†§	Booster Dose†¶
Type: mRNA vaccine					
5-11 years	Pfizer-BioNTech Ages: 5-11 years Orange cap	2 doses. Separate: Dose 1 and 2 by at least 3 weeks.**	Not recommended	3 doses. Separate: Dose 1 and 2 by at least 3 weeks. Dose 2 and 3 by at least 4 weeks.	Not recommended
12-17 years	Pfizer-BioNTech Ages: 12 years and older Gray cap or Purple cap	2 doses. Separate: Dose 1 and 2 by at least 3 - 8 weeks.**	At least 5 months after Dose 2	3 doses. Separate: Dose 1 and 2 by at least 3 weeks. Dose 2 and 3 by at least 4 weeks.	At least 12 weeks after Dose 3
18 years and older	Pfizer-BioNTech Ages: 12 years and older Gray cap or Purple cap	2 doses. Separate: Dose 1 and 2 by at least 3 - 8 weeks.**	At least 5 months after Dose 2	3 doses. Separate: Dose 1 and 2 by at least 3 weeks. Dose 2 and 3 by at least 4 weeks.	At least 12 weeks after Dose 3
	Moderna	2 doses. Separate: Dose 1 and 2 by at least 4 - 8 weeks.**	At least 5 months after Dose 2	3 doses. Separate: Dose 1 and 2 by at least 4 weeks. Dose 2 and 3 by at least 4 weeks.	At least 12 weeks after Dose 3

Recipient Age	Product**	Persons Who ARE NOT Moderately or Severely Immunocompromised		Persons Who ARE Moderately or Severely Immunocompromised	
		Primary Series†§	Booster Dose†¶	Primary Series†§	Booster Dose†¶

Type: Viral vector vaccine					
18 years and older	Janssen††	1 dose	At least 8 weeks after Dose 1	2 doses. Separate: Dose 1 and 2 by at least 28 days†† Dose 2 MUST be a mRNA vaccine	At least 8 weeks after Dose 2

VACCINE UPDATES

- **Palm Springs**

275 N El Cielo, Suite A102
Palm Springs, CA 92260

Mon-Friday | 8am-4:30pm*

- **Indio**

81880 Dr. Carreon Blvd, Second
Floor
Indio, CA 92201

Mon-Friday | 8am-4:30pm*

- **Yucca Valley**

57463 29 Palms Hwy, Suite 203
Yucca Valley, CA 92284

Tuesday & Thursdays only |
8:30am-4:30pm*

* Closed for lunch 12-1pm


Need help scheduling?

Call [760-808-8400](tel:760-808-8400).

Walk-ins always accepted.

[Coronavirus \(COVID-19\) Information | Coachella Valley | Desert Oasis Healthcare \(mydohc.com\)](#)

Coronavirus (COVID-19) Information



COVID-19 Vaccine

[Schedule Now](#)

COVID-19 Booster

[Schedule Now](#)

RISK BASED GUIDANCE



Find Local COVID-19 Guidance

Learn what prevention steps you should take based on your community data.

[Learn More](#)

[Coronavirus Disease 2019 \(COVID-19\) | CDC](#)

What Prevention Steps Should You Take Based on Your COVID-19 Community Level?

Low	Medium	High
<ul style="list-style-type: none">Stay up to date with COVID-19 vaccinesGet tested if you have symptoms	<ul style="list-style-type: none">If you are at high risk for severe illness, talk to your healthcare provider about whether you need to wear a mask and take other precautionsStay up to date with COVID-19 vaccinesGet tested if you have symptoms	<ul style="list-style-type: none">Wear a mask indoors in publicStay up to date with COVID-19 vaccinesGet tested if you have symptomsAdditional precautions may be needed for people at high risk for severe illness

People may choose to mask at any time. People with symptoms, a positive test, or exposure to someone with COVID-19 should wear a mask. Masks are required on [public transportation](#) and may be required in other places by local or state authorities.

RISK BASED GUIDANCE

● Low

In Riverside County, California, community level is **Low**.

- Stay [up to date](#) with COVID-19 vaccines
- [Get tested](#) if you have symptoms

● Low

In San Bernardino County, California, community level is **Low**.

- Stay [up to date](#) with COVID-19 vaccines
- [Get tested](#) if you have symptoms

QUARANTINE AND ISOLATION



Quarantine

If you were exposed

Quarantine and stay away from others when you have been in close contact with someone who has COVID-19.

DEFINITIONS

Exposure

Contact with someone infected with SARS-CoV-2, the virus that causes COVID-19, in a way that increases the likelihood of getting infected with the virus.

Close Contact

A close contact is someone who was less than 6 feet away from an infected person (laboratory-confirmed or a clinical diagnosis) for a cumulative total of 15 minutes or more over a 24-hour period. For example, three individual 5-minute exposures for a total of 15 minutes. People who are exposed to someone with COVID-19 after they completed at least 5 days of isolation are not considered close contacts.



Isolate

If you are sick or test positive

Isolate when you are sick or when you have COVID-19, even if you don't have symptoms.

Quarantine if you have been in close contact with someone who has COVID-19, unless you are up to date on COVID-19 vaccinations or had confirmed COVID-19 within the last 90 days.

If you are up to date with COVID-19 vaccinations

- You do NOT need to quarantine unless you have symptoms
- Wear a well-fitting mask around others for 10 days following exposure
- Get tested at least 5 days after your exposure

If you are not fully up to date on COVID-19 vaccinations

- Stay home and quarantine for at least 5 full days
- Wear a well-fitting mask if you must be around others in your home
- Get tested at least 5 days after your exposure, even if you don't develop symptoms

If you had confirmed COVID-19 within the past 90 days

- You do NOT need to quarantine unless you develop symptoms



During isolation, stay in a separate room and use a separate bathroom, if possible. Wear a well-fitting mask and improve the ventilation in your home.

If you tested positive for COVID-19 or have symptoms, regardless of vaccination status

- Stay home for at least 5 days and isolate from others
- Wear a well-fitting mask if you must be around others in your home

Ending isolation if you had symptoms

- After 5 days and when you are fever-free (without use of fever-reducing medication) and your symptoms are improving

Ending isolation if you did NOT have symptoms

- After at least 5 days after your positive test

If you were severely ill with COVID-19

- Isolate for at least 10 days
- Consult your doctor before ending isolation

Take precautions until day 10

- Wear a well-fitting mask anytime you are around others
- Avoid travel
- Avoid being around people who are at high risk



Your Health. Your Life. Our Passion.

QUARANTINE AND ISOLATION

cdc.gov/coronavirus

Desert Oasis Healthcare

NOW OFFERING
Treatment for COVID-19 positive patients



MONOCLONAL ANTIBODY INFUSION THERAPY

Sotrovimab and Bebtelovimab

What to expect during this event:

- Needs to be administered within 7 days of symptom onset
- What is it? Monoclonal antibody infusion is a new emergency treatment available to those with mild to moderate COVID-19 symptoms, who are at higher risk of worsening conditions.

ORAL ANTIVIRAL THERAPY

Paxlovid and Molnupiravir

What to expect during this event:

- Needs to be administered within 5 days of symptom onset
- What is it? Oral antiviral therapy is available to those with mild to moderate COVID-19 symptoms, who are at higher risk of worsening conditions. Both antivirals work by reducing viral load, which can help reduce symptom severity.



ELIGIBILITY CRITERIA:

- Recently tested positive for COVID-19
- Are within 10 days of symptoms for infusion and 5 days for oral antivirals
- Do not need to be hospitalized
- Certain medical comorbidities, such as:
 - 65+
 - Overweight (BMI over 25)
 - Chronic kidney disease
 - Diabetes (Type 1 or Type 2)
 - Weakened immune system
- Currently receiving immunosuppressive treatment
- Cardiovascular disease/hypertension
- Chronic lung disease
- Sickle cell disease
- Neurodevelopmental disorders
- Medical-related technological dependence
- Pregnant
- Other significant conditions as determined by provider

LOCATIONS

Both the monoclonal therapy and the oral antivirals are given at our Palm Springs Immediate Care Center.

275 N El Cielo Ste D402
Palm Springs, CA 92262

DESERT OASIS
HEALTHCARE
Your Health. Your Life. Our Passion.



Referrals

Healthcare Providers

Call our Immediate Care Clinic for an appointment: 760-969-5888



Patients

Call our Immediate Care Clinic for an appointment: 760-969-5888

For more information about our COVID-19 treatment visit mydohc.com



SCAN ME

DESERT OASIS
HEALTHCARE

Your Health. Your Life. Our Passion.

COVID-19 PREVENTION AND TREATMENT



COVID-19 Pre-Exposure Evusheld

Now **AVAILABLE** in Riverside County!


Do you, or someone you know have a weakened immune system due to conditions such as:



- Cancer
- Organ transplant
- Advanced or untreated HIV infection
- Moderate or severe primary immunodeficiency
- Taking immunosuppressive medication

If you are not currently infected with COVID-19 you may be eligible for Evusheld to protect against COVID-19

Antibodies help our bodies fight infection.



For more information on Evusheld, call:

Desert Regional Medical Center (Palm Springs) 760-416-4925	First Americans Wellness: (Banning) 951-922-2058	Eisenhower Medical Center: (Rancho Mirage) 760-773-2092	 Riverside University HEALTH SYSTEM Public Health
Borrego Pharmacy (Cathedral City) 760-587-3310	Grace Family Health: (Murrieta) 951-643-4717	Desert Oasis Healthcare (Palm Springs) 760-868-6553	

*Open to all regardless of insurance or plan status with no out-of-pocket costs


Connect with us at: Rivco.therapeutics@ruhealth.org

[Treatment \(rivcoph.org\)](http://rivcoph.org)

DESERT OASIS
HEALTHCARE

Your Health. Your Life. Our Passion.

COVID-19 PREVENTION AND TREATMENT



We're here for you!

Need more help? Call 760-969-6555

Want more info? www.mydohc.com

Not sure who to call? Email: lvalenzuela@mydohc.com